




United States
Department of
Agriculture

Natural
Resources
Conservation
Service

Arizona

Basin Outlook Report

January 15, 2025



Issued by

Louis Aspey
Acting Chief
Natural Resources Conservation Service
U.S. Department of Agriculture

Released by

Keisha L. Tatem
State Conservationist
Natural Resources Conservation Service
Phoenix, Arizona

Basin Outlook Reports And Federal – State – Private Cooperative Snow Surveys

How forecasts are made

Most of the annual streamflow in Arizona originates as snowfall that has accumulated in the mountains during the winter and early spring. As the snowpack accumulates, hydrologists estimate the runoff that will occur when it melts. Measurements of snow water equivalent at selected manual snow courses and automated Snow Telemetry (SNOTEL) sites, along with precipitation and streamflow values, are used in statistical and simulation models to prepare runoff forecasts. These forecasts are coordinated between hydrologists in the Natural Resources Conservation Service (NRCS) the National Weather Service, and the Salt River Project.

Forecasts of any kind are not perfect. Streamflow forecast uncertainty arises from three primary sources: (1) uncertainty of future weather conditions, (2) uncertainty in the forecasting procedure, and (3) errors in the data. The forecast, therefore, must be interpreted not as a single value but rather as a range of values with specific probabilities of occurrence. The middle of the range is expressed by the 50% exceedance probability forecast, for which there is a 50% chance that the actual flow will be above, and a 50% chance that the actual flow will be below, this value. To describe the expected range around this 50% value, four other forecasts are provided, two smaller values (90% and 70% exceedance probability) and two larger values (30%, and 10% exceedance probability). For example, there is a 90% chance that the actual flow will be more than the 90% exceedance probability forecast.

The wider the spread among these values, the more uncertain the forecast. As the season progresses, forecasts become more accurate, primarily because a greater portion of the future weather conditions become known. This is reflected by a narrowing of the range around the 50% exceedance probability forecast. Users should take this uncertainty into consideration when making operational decisions by selecting forecasts corresponding to the level of risk they are willing to assume about the amount of water to be expected. If users anticipate receiving a lesser supply of water, or are concerned about having an adequate water supply, they may want to base their decisions on the 90% or 70% exceedance probability forecasts. On the other hand, if users anticipate receiving too much water, or are concerned about the threat of flooding, they may want to base their decisions on the 30% or 10% exceedance probability forecasts. Regardless of the forecast value users choose, they should be prepared to deal with either more or less water.



For more water supply and resource management information, contact:

Travis Kolling
Water Supply Specialist
230 N. First Ave., Suite 509
Phoenix, AZ 85003-1706
Phone: (602) 280-8834
Email: travis.kolling@az.usda.gov

The United States Department of Agriculture (USDA) prohibits discrimination in its programs on the basis of race, color, national origin, sex, religion, age, disability, political beliefs and marital or familial status. (Not all prohibited bases apply to all programs.) Persons with disabilities who require alternative means for communication of program information (Braille, large print, audiotape, etc.) should contact USDA's TARGET Center at 202-720-2600 (voice and TDD).

To file a complaint, write the Secretary of Agriculture, U.S. Department of Agriculture, Washington, D.C., 20250, or call 1-800-245-6340 (voice) or (202) 720-1127 (TDD). USDA is an equal employment opportunity employer.


ARIZONA Basin Outlook Report as of January 15, 2025

SUMMARY

As of January 15, snowpack is at well below median levels throughout the major basins of the state. Precipitation for the first half of January was well below median in the major river basins. The Salt and Verde River reservoir system stands at 71 percent of capacity, while San Carlos Reservoir is at 18 percent of capacity. The forecast calls for well below median to below median runoff in the major basins for the spring runoff period.


SNOWPACK

Snow water equivalent in the state's major river basins are well below median levels, ranging from 8 percent of median in the Salt River Basin to 22 percent of median in the Lower Colorado Mainstem.




PRECIPITATION

Mountain data from NRCS SNOTEL sites and NWS Cooperator gages show that precipitation for the first half of January was well below median in the major river basins, while cumulative precipitation since October 1 was at well below median levels throughout the state.



RESERVOIR STORAGE

As of January 15, the Salt and Verde River reservoir system stands at 71 percent of capacity. San Carlos Reservoir is currently at 18 percent of capacity.





Key storage volumes displayed in thousands of acre-feet (x1000):

<u>Reservoir</u>	<u>Current Storage</u>	<u>Last Year Storage</u>	<u>30-Year Median</u>	<u>Storage Capacity</u>
Salt River System	1487.1	1706.9	1108.0	2025.8
Verde River System	143.9	147.0	113.7	287.4
San Carlos Reservoir	160.9	328.8	93.4	875.0
Lyman Lake	9.6	12.1	7.4	30.0
Lake Havasu	547.6	555.5	558.6	619.0
Lake Mohave	1605.0	1640.0	1651.0	1810.0
Lake Mead	8815.0	9221.0	15149.0	26159.0
Lake Powell	8490.2	8278.5	13711.0	24322.0



STREAMFLOW



As of January 15, the forecast calls for well below median to below median streamflow for the spring runoff period, ranging from 22 percent of median in the Little Colorado River Basin to 85 percent of median in the Lower Colorado Mainstem. Please refer to the basin forecast tables found in this report for more information regarding water supply forecasts.




SALT RIVER BASIN as of January 15, 2025

Well below median streamflow levels are forecast for the basin. In the Salt River, near Roosevelt, the forecast calls for 25% of median streamflow through May, while at Tonto Creek, the forecast calls for 24% of median streamflow through May. Snow survey measurements show the Salt snowpack to be at 8% of median.







Data Current as of: 1/22/2025 10:06:19 AM

Salt Streamflow Forecasts - January 16, 2025

Forecast Exceedance Probabilities for Risk Assessment
Chance that actual volume will exceed forecast

Salt	Forecast Period	90% (KAF)	70% (KAF)	50% (KAF)	% Median	30% (KAF)	10% (KAF)	30yr Median (KAF)
Salt R nr Roosevelt	MAR-MAY	15.6	26	47	26%	85	150	179
Tonto Ck ab Gun Ck nr Roosevelt	J16-MAY	22	40	61	25%	92	161	240
	J16-MAY	1	1.7	8.6	24%	15.1	44	36

1) 90% and 10% exceedance probabilities are actually 95% and 5%



2) Forecasts are for unimpaired flows. Actual flow will be dependent on management of upstream reservoirs and diversions



Reservoir Storage Middle of December, 2024	Current (KAF)	Last Year (KAF)	Median (KAF)	Capacity (KAF)
Salt River Reservoir System	1487.1	1706.9	1108.0	2025.8


Watershed Snowpack Analysis January 16, 2025	# of Sites	% Median	Last Year % Median
Salt	11	8%	72%
Central Mogollon Rim	5	2%	53%
Upper Salt	8	12%	82%

VERDE RIVER BASIN as of January 15, 2025

Well below median streamflow levels are forecast for the basin. In the Verde River above Horseshoe Dam, the forecast calls for 45% of median streamflow through May. Snow survey measurements show the Verde snowpack to be at 9% of median.







Data Current as of: 1/22/2025 10:06:22 AM

Verde
Streamflow Forecasts - January 16, 2025

Forecast Exceedance Probabilities for Risk Assessment
Chance that actual volume will exceed forecast

Verde	Forecast Period	90% (KAF)	70% (KAF)	50% (KAF)	% Median	30% (KAF)	10% (KAF)	30yr Median (KAF)
Verde R bl Tangle Ck ab Horseshoe Dam								
	J16-MAY	19.9	46	65	45%	93	171	145

1) 90% and 10% exceedance probabilities are actually 95% and 5%



2) Forecasts are for unimpaired flows. Actual flow will be dependent on management of upstream reservoirs and diversions



Reservoir Storage Middle of December, 2024	Current (KAF)	Last Year (KAF)	Median (KAF)	Capacity (KAF)
Verde River Reservoir System	143.9	147.0	113.7	287.4


Watershed Snowpack Analysis January 16, 2025	# of Sites	% Median	Last Year % Median
Verde	11	4%	47%
Upper Verde	10	3%	45%

SAN FRANCISCO-UPPER GILA RIVER BASIN as of January 15, 2025

Well below median streamflow levels are forecast for the basin. In the San Francisco River, at Clifton, the forecast calls for 43% of median streamflow levels through May. In the Gila River, near Solomon, the forecast calls for 38% of median streamflow levels through May. At San Carlos Reservoir, inflow to the lake is forecast at 30% of median through May. Snow survey measurements show the snowpack for this basin to be at 12% of median.







Data Current as of: 1/22/2025 10:06:16 AM

Gila Streamflow Forecasts - January 16, 2025

Gila	Forecast Period	Forecast Exceedance Probabilities for Risk Assessment Chance that actual volume will exceed forecast						30yr Median (KAF)
		90% (KAF)	70% (KAF)	50% (KAF)	% Median	30% (KAF)	10% (KAF)	
San Francisco R at Glenwood	J16-MAY	1.81	3.3	6.9	41%	11.5	20	16.7
Gila R at Gila	J16-MAY	11.3	13.6	15.8	34%	24	67	47
Gila R nr Solomon	J16-MAY	13.1	26	38	38%	65	139	100
Gila R bl Blue Ck nr Virden	J16-MAY	10.9	12.4	22	37%	36	69	59
San Francisco R at Clifton	J16-MAY	5.1	10.6	17.9	43%	33	63	42
San Carlos Reservoir Inflow	J16-MAY	5	7.5	19.4	30%	43	140	64

1) 90% and 10% exceedance probabilities are actually 95% and 5%



2) Forecasts are for unimpaired flows. Actual flow will be dependent on management of upstream reservoirs and diversions



Reservoir Storage Middle of December, 2024	Current (KAF)	Last Year (KAF)	Median (KAF)	Capacity (KAF)
San Carlos Reservoir	160.9	328.8	93.4	875.0


Watershed Snowpack Analysis January 16, 2025	# of Sites	% Median	Last Year % Median
Gila	10	12%	101%
San Francisco	8	10%	108%
Upper Gila	3	21%	100%

LITTLE COLORADO RIVER BASIN as of January 15, 2025

Well below median streamflow levels are forecast for the basin. At Blue Ridge (C.C. Cragin) Reservoir, inflow to the lake is forecast at 15% of median through May. Snow survey measurements show the snowpack for this basin to be at 15% of median.







Data Current as of: 1/22/2025 10:06:25 AM

Little Colorado Streamflow Forecasts - January 16, 2025

Forecast Exceedance Probabilities for Risk Assessment
Chance that actual volume will exceed forecast

Little Colorado	Forecast Period	90% (KAF)	70% (KAF)	50% (KAF)	% Median	30% (KAF)	10% (KAF)	30yr Median (KAF)
Zuni R ab Black Rock Reservoir								
Bowl Canyon Ck ab Asaayi Lake								
Blue Ridge Reservoir Inflow	JAN-MAY	0	0.03	1.86	15%	4.1	9.4	12.6
Rio Nutria nr Ramah								
Lake Mary Reservoir Inflow	JAN-MAY	1.27	1.4	1.96	44%	3.7	6	4.5
Little Colorado R ab Lyman Lake	J16-JUN	0.51	0.88	1.28		1.88	3.2	

1) 90% and 10% exceedance probabilities are actually 95% and 5%

2) Forecasts are for unimpaired flows. Actual flow will be dependent on management of upstream reservoirs and diversions

Reservoir Storage Middle of December, 2024	Current (KAF)	Last Year (KAF)	Median (KAF)	Capacity (KAF)
Lyman Reservoir	9.6	12.1	7.4	30.0
Cragin Dam Reservoir	3.5	7.8	7.5	15.0

Watershed Snowpack Analysis January 16, 2025	# of Sites	% Median	Last Year % Median
Little Colorado	15	14%	61%
Canyon Diablo	6	22%	58%
Chevelon Canyon	2	0%	49%
Little Colorado Headwaters	6	11%	75%
Zuni	0		

Basinwide Summary: January 16, 2025
(Medians based on 1991-2020 reference period)

Snowpack Summary for January 16, 2025

Gila	Network	Elevation (ft)	Depth (in)	SWE (in)	Median (in)	% Median	Last Year SWE (in)	Last Year % Median
Beaver Head	SNOTEL	8076	0	0.1	2.6	4%	2.5	96%
Coronado Trail	SC	8350	0	0.0	2.2	0%	2.5	114%
Coronado Trail	SNOTEL	8418	0	0.1	2.2	5%	2.5	114%
Frisco Divide	SNOTEL	8013	2	0.1	1.8	6%	1.9	106%
Hannagan Meadows	SNOTEL	9027	0	1.0	5.2	19%	4.2	81%
Lookout Mountain	SNOTEL	8509	2	0.7	1.4	50%	1.7	121%
Nutriosio	SC	8500		0.0	1.0	0%	0.4	40%
Nutriosio	SNOTEL	8571	0	0.0	0.5	0%	1.7	340%
Signal Peak	SNOTEL	8405	1	0.1	2.0	5%	0.4	20%
Silver Creek Divide	SNOTEL	9096	3	0.7	3.8	18%	5.1	134%
State Line	SC	8000			1.6			
Basin Index						12%		101%
# of sites						10		10

San Francisco	Network	Elevation (ft)	Depth (in)	SWE (in)	Median (in)	% Median	Last Year SWE (in)	Last Year % Median
Beaver Head	SNOTEL	8076	0	0.1	2.6	4%	2.5	96%
Coronado Trail	SC	8350	0	0.0	2.2	0%	2.5	114%
Coronado Trail	SNOTEL	8418	0	0.1	2.2	5%	2.5	114%
Frisco Divide	SNOTEL	8013	2	0.1	1.8	6%	1.9	106%
Hannagan Meadows	SNOTEL	9027	0	1.0	5.2	19%	4.2	81%
Nutriosio	SC	8500		0.0	1.0	0%	0.4	40%
Nutriosio	SNOTEL	8571	0	0.0	0.5	0%	1.7	340%
Silver Creek Divide	SNOTEL	9096	3	0.7	3.8	18%	5.1	134%
State Line	SC	8000			1.6			
Basin Index						10%		108%
# of sites						8		8

Upper Gila	Network	Elevation (ft)	Depth (in)	SWE (in)	Median (in)	% Median	Last Year SWE (in)	Last Year % Median
Lookout Mountain	SNOTEL	8509	2	0.7	1.4	50%	1.7	121%
Signal Peak	SNOTEL	8405	1	0.1	2.0	5%	0.4	20%
Silver Creek Divide	SNOTEL	9096	3	0.7	3.8	18%	5.1	134%
Basin Index						21%		100%
# of sites						3		3

Salt	Network	Elevation (ft)	Depth (in)	SWE (in)	Median (in)	% Median	Last Year SWE (in)	Last Year % Median
Baldy	SNOTEL	9221	0	0.0	4.2	0%	2.7	64%
Beaver Head	SNOTEL	8076	0	0.1	2.6	4%	2.5	96%
Buck Spring	SC	7400	0	0.0	1.2	0%		
Coronado Trail	SC	8350	0	0.0	2.2	0%	2.5	114%
Coronado Trail	SNOTEL	8418	0	0.1	2.2	5%	2.5	114%
Fort Apache	SC	9160	2	1.9	4.6	41%	3.9	85%
Hannagan Meadows	SNOTEL	9027	0	1.0	5.2	19%	4.2	81%
Hawley Lake	SNOTEL	8314	0	0.0			5.8	
Heber	SNOTEL	7654	0	0.0	3.8	0%	2.7	71%

Maverick Fork	SNOTEL	9220	0	0.2	5.2	4%	2.0	38%
Promontory	SNOTEL	7942	0	0.0	6.4	0%	2.3	36%
Wildcat	SNOTEL	7868	0	0.0	1.8	0%	2.6	144%
Workman Creek	SNOTEL	7032	0	0.0	3.2	0%	2.1	66%

Basin Index

8%

72%

of sites

11

11

Central Mogollon Rim	Network	Elevation (ft)	Depth (in)	SWE (in)	Median (in)	% Median	Last Year SWE (in)	Last Year % Median
Baker Butte	SNOTEL	7363			2.8		1.7	61%
Baker Butte No. 2	SC	7700	0	0.0	5.6	0%		
Baker Butte Smt	SNOTEL	7752	1	0.5	6.1	8%	3.5	57%
Happy Jack	SC	7630			2.0		0.8	40%
Happy Jack	SNOTEL	7539	0	0.0	3.3	0%	1.5	45%
Heber	SNOTEL	7654	0	0.0	3.8	0%	2.7	71%
Promontory	SNOTEL	7942	0	0.0	6.4	0%	2.3	36%
Workman Creek	SNOTEL	7032	0	0.0	3.2	0%	2.1	66%

Basin Index

2%

53%

of sites

5

5

Upper Salt	Network	Elevation (ft)	Depth (in)	SWE (in)	Median (in)	% Median	Last Year SWE (in)	Last Year % Median
Baldy	SNOTEL	9221	0	0.0	4.2	0%	2.7	64%
Beaver Head	SNOTEL	8076	0	0.1	2.6	4%	2.5	96%
Buck Spring	SC	7400	0	0.0	1.2	0%		
Coronado Trail	SC	8350	0	0.0	2.2	0%	2.5	114%
Coronado Trail	SNOTEL	8418	0	0.1	2.2	5%	2.5	114%
Fort Apache	SC	9160	2	1.9	4.6	41%	3.9	85%
Hannagan Meadows	SNOTEL	9027	0	1.0	5.2	19%	4.2	81%
Hawley Lake	SNOTEL	8314	0	0.0			5.8	
Maverick Fork	SNOTEL	9220	0	0.2	5.2	4%	2.0	38%
Wildcat	SNOTEL	7868	0	0.0	1.8	0%	2.6	144%

Basin Index

12%

82%

of sites

8

8

Verde	Network	Elevation (ft)	Depth (in)	SWE (in)	Median (in)	% Median	Last Year SWE (in)	Last Year % Median
Baker Butte	SNOTEL	7363			2.8		1.7	61%
Baker Butte No. 2	SC	7700	0	0.0	5.6	0%		
Baker Butte Smt	SNOTEL	7752	1	0.5	6.1	8%	3.5	57%
Bar M	SNOTEL	6397	0	0.1			1.6	
Chalender	SC	7100			1.0		0.6	60%
Chalender	SNOTEL	7035	0	0.1	2.7	4%	1.0	37%
Fort Valley	SNOTEL	7371	0	0.1	1.4	7%	1.0	71%
Fort Valley	SC	7350	0	0.0	1.4	0%	0.6	43%
Fry	SNOTEL	7236	0	0.2	4.0	5%	1.7	43%
Happy Jack	SC	7630			2.0		0.8	40%
Happy Jack	SNOTEL	7539	0	0.0	3.3	0%	1.5	45%
Mormon Mountain	SNOTEL	7500	0	0.0	3.0	0%	1.9	63%
Mormon Mountain Summit #2	SC	8470	1	0.2	5.6	4%	2.0	36%
Mormon Mtn Summit	SNOTEL	8462	1	0.3	5.8	5%	2.4	41%
Newman Park	SC	6750	0	0.0	1.4	0%		
Snow Bowl #2	SC	11200	13	3.4	8.4	40%		

White Horse Lake	SNOTEL	7203	0	0.0	1.6	0%	1.1	69%
Williams Ski Run	SC	7720	0	0.0	3.5	0%	1.3	37%
Basin Index						4%		47%
# of sites						11		11

Upper Verde	Network	Elevation (ft)	Depth (in)	SWE (in)	Median (in)	% Median	Last Year SWE (in)	Last Year % Median
Bar M	SNOTEL	6397	0	0.1			1.6	
Chalender	SNOTEL	7035	0	0.1	2.7	4%	1.0	37%
Chalender	SC	7100			1.0		0.6	60%
Fort Valley	SNOTEL	7371	0	0.1	1.4	7%	1.0	71%
Fort Valley	SC	7350	0	0.0	1.4	0%	0.6	43%
Fry	SNOTEL	7236	0	0.2	4.0	5%	1.7	43%
Happy Jack	SC	7630			2.0		0.8	40%
Happy Jack	SNOTEL	7539	0	0.0	3.3	0%	1.5	45%
Mormon Mountain	SNOTEL	7500	0	0.0	3.0	0%	1.9	63%
Mormon Mountain Summit #2	SC	8470	1	0.2	5.6	4%	2.0	36%
Mormon Mtn Summit	SNOTEL	8462	1	0.3	5.8	5%	2.4	41%
Newman Park	SC	6750	0	0.0	1.4	0%		
Snow Bowl #2	SC	11200	13	3.4	8.4	40%		
White Horse Lake	SNOTEL	7203	0	0.0	1.6	0%	1.1	69%
Williams Ski Run	SC	7720	0	0.0	3.5	0%	1.3	37%
Basin Index						3%		45%
# of sites						10		10

Little Colorado	Network	Elevation (ft)	Depth (in)	SWE (in)	Median (in)	% Median	Last Year SWE (in)	Last Year % Median
Baker Butte	SNOTEL	7363			2.8		1.7	61%
Baker Butte No. 2	SC	7700	0	0.0	5.6	0%		
Baker Butte Smt	SNOTEL	7752	1	0.5	6.1	8%	3.5	57%
Baldy	SNOTEL	9221	0	0.0	4.2	0%	2.7	64%
Boon	SC	8140						
Bowl Canyon	SC	8980			4.0			
Buck Spring	SC	7400	0	0.0	1.2	0%		
Cheese Springs	SC	8700	0	0.0	3.1	0%	3.2	103%
Dan Valley	SC	7640						
Fluted Rock	SC	7800			1.6			
Fort Apache	SC	9160	2	1.9	4.6	41%	3.9	85%
Fort Valley	SNOTEL	7371	0	0.1	1.4	7%	1.0	71%
Fort Valley	SC	7350	0	0.0	1.4	0%	0.6	43%
Grand Canyon	SC	7500			1.3		0.6	46%
Heber	SNOTEL	7654	0	0.0	3.8	0%	2.7	71%
Lake Mary	SC	6930	0	0.0	1.9	0%		
Maverick Fork	SNOTEL	9220	0	0.2	5.2	4%	2.0	38%
McGaffey	SC	8120						
Missionary Spring	SC	7940			2.1			
Mormon Mountain	SNOTEL	7500	0	0.0	3.0	0%	1.9	63%
Mormon Mountain Summit #2	SC	8470	1	0.2	5.6	4%	2.0	36%
Mormon Mtn Summit	SNOTEL	8462	1	0.3	5.8	5%	2.4	41%
Nutrioso	SNOTEL	8571	0	0.0	0.5	0%	1.7	340%
Nutrioso	SC	8500		0.0	1.0	0%	0.4	40%
Promontory	SNOTEL	7942	0	0.0	6.4	0%	2.3	36%
Snow Bowl #2	SC	11200	13	3.4	8.4	40%		

Snowslide Canyon	SNOTEL	9744	7	5.2	9.3	56%	7.4	80%
Basin Index						14%		61%
# of sites						15		15
Canyon Diablo	Network	Elevation (ft)	Depth (in)	SWE (in)	Median (in)	% Median	Last Year SWE (in)	Last Year % Median
Fort Valley	SNOTEL	7371	0	0.1	1.4	7%	1.0	71%
Fort Valley	SC	7350	0	0.0	1.4	0%	0.6	43%
Lake Mary	SC	6930	0	0.0	1.9	0%		
Mormon Mountain	SNOTEL	7500	0	0.0	3.0	0%	1.9	63%
Mormon Mountain Summit #2	SC	8470	1	0.2	5.6	4%	2.0	36%
Mormon Mtn Summit	SNOTEL	8462	1	0.3	5.8	5%	2.4	41%
Snow Bowl #2	SC	11200	13	3.4	8.4	40%		
Snowslide Canyon	SNOTEL	9744	7	5.2	9.3	56%	7.4	80%
Basin Index						22%		58%
# of sites						6		6
Chevelon Canyon	Network	Elevation (ft)	Depth (in)	SWE (in)	Median (in)	% Median	Last Year SWE (in)	Last Year % Median
Heber	SNOTEL	7654	0	0.0	3.8	0%	2.7	71%
Promontory	SNOTEL	7942	0	0.0	6.4	0%	2.3	36%
Basin Index						0%		49%
# of sites						2		2
Little Colorado Headwaters	Network	Elevation (ft)	Depth (in)	SWE (in)	Median (in)	% Median	Last Year SWE (in)	Last Year % Median
Baldy	SNOTEL	9221	0	0.0	4.2	0%	2.7	64%
Cheese Springs	SC	8700	0	0.0	3.1	0%	3.2	103%
Fort Apache	SC	9160	2	1.9	4.6	41%	3.9	85%
Maverick Fork	SNOTEL	9220	0	0.2	5.2	4%	2.0	38%
Nutrioso	SC	8500		0.0	1.0	0%	0.4	40%
Nutrioso	SNOTEL	8571	0	0.0	0.5	0%	1.7	340%
Basin Index						11%		75%
# of sites						6		6
Zuni	Network	Elevation (ft)	Depth (in)	SWE (in)	Median (in)	% Median	Last Year SWE (in)	Last Year % Median
Boon	SC	8140						
Dan Valley	SC	7640						
Mcgahey	SC	8120						
Basin Index								
# of sites						0		0
Lower Colorado Mainstem	Network	Elevation (ft)	Depth (in)	SWE (in)	Median (in)	% Median	Last Year SWE (in)	Last Year % Median
Bright Angel	SC	8400	0	0.0	4.4	0%		
Chalender	SNOTEL	7035	0	0.1	2.7	4%	1.0	37%
Chalender	SC	7100			1.0		0.6	60%
Gardner Peak	SNOTEL	8322	8	2.3	5.0	46%	3.5	70%
Grand Canyon	SC	7500			1.3		0.6	46%
Gutz Peak	SNOTEL	6763	0	0.0	5.1	0%	1.2	24%
Harris Flat	SNOTEL	7792	0	0.0	3.8	0%	1.6	42%

Kolob	SNOTEL	9263	15	3.9	9.8	40%	4.7	48%
Little Grassy	SNOTEL	6065	0	0.0	2.4	0%	0.7	29%
Long Flat	SNOTEL	7982	0	0.0	3.5	0%	1.5	43%
Long Valley Jct	SNOTEL	7465	0	0.0	2.6	0%	0.6	23%
Midway Valley	SNOTEL	9827	21	4.5	10.6	42%	6.8	64%
Webster Flat	SNOTEL	9203	7	2.6	6.2	42%	4.7	76%
Williams Ski Run	SC	7720	0	0.0	3.5	0%	1.3	37%

Basin Index

of sites

24%

11

50%

11

Grand Canyon	Network	Elevation (ft)	Depth (in)	SWE (in)	Median (in)	% Median	Last Year SWE (in)	Last Year % Median
Bright Angel	SC	8400	0	0.0	4.4	0%		
Grand Canyon	SC	7500			1.3		0.6	46%

Basin Index

of sites

0

0

Virgin	Network	Elevation (ft)	Depth (in)	SWE (in)	Median (in)	% Median	Last Year SWE (in)	Last Year % Median
Gardner Peak	SNOTEL	8322	8	2.3	5.0	46%	3.5	70%
Gutz Peak	SNOTEL	6763	0	0.0	5.1	0%	1.2	24%
Harris Flat	SNOTEL	7792	0	0.0	3.8	0%	1.6	42%
Kolob	SNOTEL	9263	15	3.9	9.8	40%	4.7	48%
Little Grassy	SNOTEL	6065	0	0.0	2.4	0%	0.7	29%
Long Flat	SNOTEL	7982	0	0.0	3.5	0%	1.5	43%
Long Valley Jct	SNOTEL	7465	0	0.0	2.6	0%	0.6	23%
Midway Valley	SNOTEL	9827	21	4.5	10.6	42%	6.8	64%
Webster Flat	SNOTEL	9203	7	2.6	6.2	42%	4.7	76%

Basin Index

of sites

27%

9

52%

9

Upper Colorado	Network	Elevation (ft)	Depth (in)	SWE (in)	Median (in)	% Median	Last Year SWE (in)	Last Year % Median
Agua Canyon	SNOTEL	8900	0	0.0	4.5	0%	1.1	24%
Arapaho Ridge	SNOTEL	10976	47	11.1	11.4	97%	10.5	92%
Arrow #2	SC	9668						
Battle Mountain	SNOTEL	7498	29	6.3	5.6	113%	4.2	75%
Bear River	SNOTEL	9112	25	5.6	5.8	97%	5.7	98%
Beartown	SNOTEL	11600	40	9.6	11.2	86%	8.1	72%
Beaver Ck Village	SNOTEL	8565	29	6.7	6.4	105%	5.4	84%
Beaver Spring	SNOTEL	9255	0	0.0	5.3	0%	7.2	136%
Beaver Spring	SC	9220			4.4			
Berthoud Pass	SC	9700						
Berthoud Summit	SNOTEL	11314	42	10.6	8.8	120%	10.2	116%
Big Park	SC	8620						
Big Sandy Opening	SNOTEL	9080	25	4.8	7.0	69%	5.7	81%
Bison Lake	SNOTEL	10964	38	9.6	12.0	80%	10.3	86%
Black Flat-U.M. Ck	SNOTEL	9414	23	5.5	4.0	138%	4.3	108%
Black Mesa	SNOTEL	11564	37	9.2			8.0	
Blacks Fork Jct	SNOTEL	8869	27	6.3	3.8	166%	5.6	147%
Blind Bull Sum	SNOTEL	8650	44	10.9	12.4	88%	9.2	74%
Blue River	SC	10500						
Bowl Canyon	SC	8980			4.0			

Brown Duck	SNOTEL	10574	33	8.0	8.2	98%	6.3	77%
Bryce Canyon	SC	8000						
Buck Flat	SNOTEL	9409	34	8.0	8.0	100%	7.5	94%
Buck Pasture	SNOTEL	9632	34	7.2			7.4	
Buckboard Flat	SNOTEL	8924	17	3.4			5.2	
Buckboard Flat	SC	8998						
Buffalo Park	SNOTEL	9249	33	7.0	6.8	103%	7.0	103%
Burro Mountain	SNOTEL	9317	33	7.7	7.9	97%	6.0	76%
Butte	SNOTEL	10200	32	7.8	6.8	115%	8.8	129%
Butterhill	SC	7880						
Camp Jackson	SNOTEL	8858	10	2.9	5.9	49%	4.7	80%
Cascade #2	SNOTEL	9012	12	3.4	5.7	60%	5.2	91%
Chapman Tunnel	SNOTEL	10100	33	7.7	7.5	103%	8.2	109%
Chepeta	SNOTEL	10499	22	4.7	6.6	71%	3.7	56%
Clayton Springs	SNOTEL	10049	16	3.3	5.4	61%	3.5	65%
Clear Creek #1	SNOTEL	8975	28	6.1	7.9	77%	7.2	91%
Cochetopa Pass	SC	10000						
Cochetopa Pass	SNOTEL	10061	17	3.3	2.6	127%	2.2	85%
Columbine	SNOTEL	9167	46	12.7	11.8	108%	12.0	102%
Columbine Lodge	SC	9160						
Columbine Pass	SNOTEL	9171	28	7.0	8.3	84%	7.8	94%
Columbus Basin	SNOTEL	10781	36	9.6	11.9	81%	8.3	70%
Copper Mountain	SNOTEL	10523	40	9.5	7.3	130%	6.9	95%
Corral	SNOTEL	8207	8	2.1			2.9	
Corral Creek	SC	9700						
Cottonwood Pass	SNOLITE	11681	45					
Crested Butte	SC	8920						
Crosho	SNOTEL	8973	33	6.8	6.5	105%	7.0	108%
Currant Creek	SNOTEL	7915	18	4.5	4.6	98%	6.6	143%
Daniels-Strawberry	SNOTEL	8008	26	6.1	6.8	90%	7.8	115%
Dills Camp	SNOTEL	9228	28	6.4	5.4	119%	4.9	91%
Divide Peak	SNOTEL	8730	41	9.0	9.8	92%	7.7	79%
Donkey Reservoir	SNOTEL	9799	12	2.3	3.6	64%	2.5	69%
Dry Lake	SNOTEL	8271	47	11.6	10.5	110%	12.0	114%
EF Blacks Fork GS	SNOTEL	9360	26	5.4	4.4	123%	6.5	148%
East Rim Divide	SNOTEL	7930	22	4.9	5.5	89%	3.2	58%
East Willow Creek	SNOTEL	8302	11	2.1	3.9	54%	2.3	59%
El Diente Peak	SNOTEL	10217	18		6.2		6.4	103%
Elk River	SNOTEL	8739	35	8.3	8.6	97%	8.4	98%
Elkhart Park G.S.	SNOTEL	9400	26	5.9	6.6	89%	4.5	68%
Elkhead Divide	SNOTEL	8800	34	8.1			9.6	
Elliot Ridge	SNOTEL	10549	33	10.8	8.7	124%	10.7	123%
Fish Lake	SC	8818						
Fish Lake Utah	SNOTEL	8798	14	3.1	4.8	65%	4.6	96%
Five Points Lake	SNOTEL	10943	28	6.4	8.0	80%	5.8	73%
Fluted Rock	SC	7800			1.6			
Fool Creek	SNOTEL	11156	44	10.3			9.8	
Fremont Pass	SNOTEL	11326	42	10.0	8.2	122%	6.6	80%
G.B.R.C. Meadows	SC	9780						
GBRC Meadows	SNOTEL	9858	39	9.3			8.7	
Gold Basin	SNOTEL	10076	29	7.7			7.6	
Gore Pass	SC	9400						
Granby	SC	8600						
Grizzly Peak	SNOTEL	11139	43	10.4	8.4	124%	7.5	89%

Gros Ventre Summit	SNOTEL	8750	23	5.1	7.2	71%	3.9	54%
Groundhog	SC	8940						
Gunsight Pass	SNOTEL	9820	32	6.8	7.0	97%	5.2	74%
Hagerman Tunnel	SC	11150						
Hams Fork	SNOTEL	7840	25	5.5	5.6	98%	3.0	54%
Haskins Creek	SC	8975						
Henrys Fork	SNOLITE	10182	25					
Hewinta	SNOTEL	9500	27	5.4	4.8	113%	4.9	102%
Hickerson Park	SNOTEL	9122	26	4.0	3.3	121%	4.1	124%
Hidden Valley	SC	8480			3.0			
High Lonesome	SNOTEL	10638	42	9.7			10.0	
Hole-in-Rock	SNOTEL	9168	22	3.4	3.6	94%	3.5	97%
Huntington Horse	SNOTEL	9652	40	10.2			12.7	
Huntington-Horseshoe	SC	9657						
Idarado	SNOTEL	9812	35	6.4	6.4	100%	5.4	84%
Independence Pass	SC	10600						
Independence Pass	SNOTEL	10598	38	8.9	8.4	106%	7.0	83%
Indian Creek	SNOTEL	9425	44	10.9	11.7	93%	9.5	81%
Ironton Park	SC	9600						
Ivanhoe	SNOTEL	10541	39	9.4	7.2	131%	9.5	132%
Jones Pass	SNOTEL	10426	34	8.0	7.9	101%	7.4	94%
Jones Pass	SC	10400						
Kelley R.S.	SNOTEL	8180	31	7.1	7.2	99%	7.1	99%
Kendall R.S.	SNOTEL	7740	26	5.8	6.6	88%	3.1	47%
Keystone	SC	9960						
Kiln	SNOTEL	9624	28	6.7	6.2	108%	6.8	110%
Kings Cabin	SNOTEL	8728	19	3.5	4.2	83%	2.6	62%
Lake City	SC	10160						
Lake Irene	SC	10700						
Lake Irene	SNOTEL	10682	47	11.2	11.7	96%	9.6	82%
Lakefork #1	SNOTEL	10128	20	4.5	6.2	73%	4.1	66%
Lakefork #3	SNOTEL	8464	5	1.5	3.4	44%	2.1	62%
Lakefork Basin	SNOTEL	10885	39	9.8	9.3	105%	7.5	81%
Lapland	SC	9300						
Larsen Creek	SC	9020						
Larsen Creek	SNOTEL	9000	10	2.7	4.0	68%	2.6	65%
Lasal Mountain	SNOTEL	9578	22	5.3	5.6	95%	5.5	98%
Lasal Mountain-Lower	SC	8825						
Lasal Mountain-Lower	SNOTEL	8783	13	3.6			4.8	
Lemon Reservoir	SC	8700						
Little Snake River	SNOTEL	8928	51	11.6	13.4	87%	12.4	93%
Lizard Head Pass	SNOTEL	10193	34	8.0	7.6	105%	6.7	88%
Lone Cone	SNOTEL	9755	30	6.0	7.8	77%	6.6	85%
Lonesome Beaver	SNOTEL	9410	3	0.9			1.2	
Loomis Park	SNOTEL	8240	30	7.1	7.9	90%	5.4	68%
Lost Dog	SNOTEL	9327	40	9.7	10.6	92%	9.7	92%
Lostman	SC	10626						
Lynx Pass	SNOTEL	8919	27	5.5	5.6	98%	5.6	100%
Mammoth-Cottonwood	SNOTEL	8709	32	7.2	8.8	82%	10.4	118%
Mancos	SNOTEL	10044	15	3.0	7.8	38%	6.7	86%
Mc Clure Pass	SNOTEL	8774	29	6.8	8.2	83%	6.7	82%
Mc Kenzie Gulch	SC	8500						
Mccoy Park	SNOTEL	9516	33	7.4	7.3	101%	6.9	95%
Mesa Lakes	SC	10000						

Mesa Lakes	SNOTEL	10168	29	6.7	8.2	82%	6.8	83%
Middle Fork Camp	SNOTEL	8969	27	5.3	5.9	90%	6.2	105%
Middle Fork Campground	SC	9000						
Milner Pass	SC	9750						
Mineral Creek	SNOTEL	10046	31	7.3	7.2	101%	5.7	79%
Missionary Spring	SC	7940			2.1			
Molas Lake	SNOTEL	10631	34	8.4	8.6	98%	6.2	72%
Monarch Offshoot	SC	10500						
Mosby Mtn.	SNOTEL	9553	23	4.7	5.4	87%	2.6	48%
Mt Baldy	SNOTEL	9524	39	10.8			10.7	
Mt Pennell	SNOTEL	9209	3	1.1			2.7	
Nast Lake	SC	8700						
Nast Lake	SNOTEL	8731	23	5.1	4.1	124%	6.0	146%
Navajo Whiskey Ck	SNOTEL	9064	0	0.0	4.6	0%	6.5	141%
New Fork Lake	SNOTEL	8340	23	5.1	5.7	89%	3.7	65%
North Inlet Grand Lake	SC	9000						
North Lost Trail	SNOTEL	9219		7.9	7.2	110%	8.4	117%
Old Battle	SNOTEL	9860	54	13.9	15.6	89%	12.7	81%
Overland Res.	SNOTEL	9893	21	5.1	5.8	88%	4.8	83%
Park Cone	SNOTEL	9621	23	5.3	4.8	110%	6.7	140%
Park Cone	SC	9600						
Park Reservoir	SNOTEL	9987	34	8.2	12.0	68%	9.5	79%
Phantom Valley	SNOTEL	9045	26	5.2	5.2	100%	4.0	77%
Pocket Creek	SC	9350						
Pocket Creek	SNOTEL	9360						
Porphyry Creek	SC	10760						
Porphyry Creek	SNOTEL	10788	44	11.2	7.2	156%	9.6	133%
Rabbit Ears	SNOTEL	9411	52	12.8	11.6	110%	12.6	109%
Ranch Creek	SC	9400						
Red Mountain Pass	SNOTEL	11080	47	11.6	11.0	105%	9.7	88%
Red Pine Ridge	SNOTEL	8988	32	7.2	5.8	124%	6.4	110%
Rio Blanco	SC	8500						
Ripple Creek	SNOTEL	10350	51	12.6	12.8	98%	12.2	95%
Rock Creek	SNOTEL	7886	12	2.9	3.8	76%	3.0	79%
Rowdy Creek	SC	8300						
Sage Creek Basin	SNOTEL	7850	30	5.9	6.9	86%	4.7	68%
Sandstone RS	SNOTEL	8152	35	7.8	6.7	116%	7.7	115%
Sargents Mesa	SNOTEL	11499	25	5.1	5.4	94%	4.3	80%
Schofield Pass	SNOTEL	10653	50	13.4	14.7	91%	13.4	91%
Scotch Creek	SNOTEL	9195	21	5.6	5.6	100%	5.4	96%
Seeley Creek	SNOTEL	9904	23	5.8	5.8	100%	5.0	86%
Sharktooth	SNOTEL	10747	30	5.2	7.5	69%	6.8	91%
Shrine Pass	SC	10700						
Slumgullion	SNOTEL	11560	35	7.5	7.4	101%	5.8	78%
Snake River	SC	10000						
Snider Basin	SNOTEL	8060	26	5.8	6.4	91%	4.0	63%
Spirit Lk	SNOTEL	10235	32	6.0	5.8	103%	4.2	72%
Spring Creek Divide	SNOTEL	9000	49	10.9	12.3	89%	9.9	80%
Spud Mountain	SNOTEL	10674	40	8.7	11.5	76%	8.8	77%
Steel Creek Park	SNOTEL	10158	37	9.1	7.0	130%	7.0	100%
Stillwater Creek	SNOTEL	8880	19	3.4			4.1	
Strawberry Divide	SNOTEL	8123	28	6.9	7.5	92%	10.2	136%
Stump Lakes	SNOTEL	11248	35	8.4	9.0	93%	8.7	97%
Summit Ranch	SNOTEL	9371	29	6.3	5.6	113%	4.9	88%

Sunflower Flat	SNOTEL	10018	4	1.7			0.6	
Telluride	SC	8800						
Tennessee Pass #2	SC	10280						
Timberline	SNOTEL	8736	12	2.2	3.9	56%	3.0	77%
Tower	SNOTEL	10620	77	22.1	21.0	105%	19.7	94%
Trapper Lake	SNOTEL	9759	25	6.4			7.9	
Trial Lake	SNOTEL	9992	43	9.8	10.0	98%	9.3	93%
Trial Lake	SC	9953						
Triple Peak	SNOTEL	8500	51	12.6	11.4	111%	9.3	82%
Trout Creek	SNOTEL	9518	20	3.7	3.8	97%	2.7	71%
Trout Lake #2	SC	9780						
Tsaile Canyon #1	SC	8160			3.2			
Tsaile Canyon #3	SC	8920			5.3			
Upper Joes Valley	SNOTEL	8596	23	5.1			4.2	
Upper San Juan	SNOTEL	10140	31	7.0	13.0	54%	10.8	83%
Upper San Juan	SC	10200						
Upper Taylor	SNOTEL	10717	32	7.1	6.4	111%	6.9	108%
Vail Mountain	SNOTEL	10310	41	8.5	9.0	94%	10.8	120%
Vallecito	SNOTEL	10782	28	4.6	7.4	62%	7.7	104%
Vasquez	SC	9600						
Wager Gulch	SNOTEL	11132	29	7.2			4.2	
Weminuche Creek	SNOTEL	10749	32	6.5	8.8	74%	8.6	98%
Whiskey Creek	SC	9050			4.6			
Whiskey Park	SNOTEL	9020	56	13.5	12.8	105%	13.7	107%
White River #1	SNOTEL	8641	26	5.9	5.1	116%	7.8	153%
Widtsoe #3	SNOTEL	9640	10	2.0	4.9	41%	3.1	63%
Wilbur Bench	SNOTEL	9171	15	3.1	4.9	63%	4.9	100%
Willow Creek Pass	SC	9540						
Willow Creek Pass	SNOTEL	9523	28	6.1	6.8	90%	6.9	101%
Wolf Creek Peak	SNOTEL	9796	38	7.9			7.8	
Wolf Creek Summit	SNOTEL	10957	42	11.1	16.3	68%	11.7	72%
Wrigley Creek	SNOTEL	9327	22	4.2			3.7	
Wurtz Lower	SC	10690						
Yampa View	SC	8200						
Basin Index						93%		90%
# of sites						129		129

Chuska - Defiance	Network	Elevation (ft)	Depth (in)	SWE (in)	Median (in)	% Median	Last Year SWE (in)	Last Year % Median
Beaver Spring	SNOTEL	9255	0	0.0	5.3	0%	7.2	136%
Beaver Spring	SC	9220			4.4			
Bowl Canyon	SC	8980			4.0			
Fluted Rock	SC	7800			1.6			
Hidden Valley	SC	8480			3.0			
Missionary Spring	SC	7940			2.1			
Navajo Whiskey Ck	SNOTEL	9064	0	0.0	4.6	0%	6.5	141%
Tsaile Canyon #1	SC	8160			3.2			
Tsaile Canyon #3	SC	8920			5.3			
Whiskey Creek	SC	9050			4.6			
Basin Index						0%		138%
# of sites						2		2

Report Created:
1/22/2025 8:59:27 AM

Streamflow Forecast Summary: January 16, 2025
(Medians based on 1991-2020 reference period)

Forecast Exceedance Probabilities for Risk Assessment
Chance that actual volume will exceed forecast

Gila	Forecast Period	90% (KAF)	70% (KAF)	50% (KAF)	% Median	30% (KAF)	10% (KAF)	30yr Median (KAF)
San Francisco R at Glenwood	J16-MAY	1.81	3.3	6.9	41%	11.5	20	16.7
Gila R at Gila	J16-MAY	11.3	13.6	15.8	34%	24	67	47
Gila R nr Solomon	J16-MAY	13.1	26	38	38%	65	139	100
Gila R bl Blue Ck nr Virden	J16-MAY	10.9	12.4	22	37%	36	69	59
San Francisco R at Clifton	J16-MAY	5.1	10.6	17.9	43%	33	63	42
San Carlos Reservoir Inflow	J16-MAY	5	7.5	19.4	30%	43	140	64

- 1) 90% and 10% exceedance probabilities are actually 95% and 5%
2) Forecasts are for unimpaired flows. Actual flow will be dependent on management of upstream reservoirs and diversions

Forecast Exceedance Probabilities for Risk Assessment
Chance that actual volume will exceed forecast

Salt	Forecast Period	90% (KAF)	70% (KAF)	50% (KAF)	% Median	30% (KAF)	10% (KAF)	30yr Median (KAF)
Salt R nr Roosevelt	MAR-MAY	15.6	26	47	26%	85	150	179
	J16-MAY	22	40	61	25%	92	161	240
Tonto Ck ab Gun Ck nr Roosevelt	J16-MAY	1	1.7	8.6	24%	15.1	44	36

- 1) 90% and 10% exceedance probabilities are actually 95% and 5%
2) Forecasts are for unimpaired flows. Actual flow will be dependent on management of upstream reservoirs and diversions

Forecast Exceedance Probabilities for Risk Assessment
Chance that actual volume will exceed forecast

Verde	Forecast Period	90% (KAF)	70% (KAF)	50% (KAF)	% Median	30% (KAF)	10% (KAF)	30yr Median (KAF)
Verde R bl Tangle Ck ab Horseshoe Dam	J16-MAY	19.9	46	65	45%	93	171	145

- 1) 90% and 10% exceedance probabilities are actually 95% and 5%
2) Forecasts are for unimpaired flows. Actual flow will be dependent on management of upstream reservoirs and diversions

Forecast Exceedance Probabilities for Risk Assessment
Chance that actual volume will exceed forecast

Little Colorado	Forecast Period	90% (KAF)	70% (KAF)	50% (KAF)	% Median	30% (KAF)	10% (KAF)	30yr Median (KAF)
Zuni R ab Black Rock Reservoir								
Bowl Canyon Ck ab Asaayi Lake								
Blue Ridge Reservoir Inflow								
JAN-MAY		0	0.03	1.86	15%	4.1	9.4	12.6
Rio Nutria nr Ramah								
Lake Mary Reservoir Inflow								
JAN-MAY		1.27	1.4	1.96	44%	3.7	6	4.5
Little Colorado R ab Lyman Lake								
J16-JUN		0.51	0.88	1.28		1.88	3.2	

1) 90% and 10% exceedance probabilities are actually 95% and 5%

2) Forecasts are for unimpaired flows. Actual flow will be dependent on management of upstream reservoirs and diversions

Forecast Exceedance Probabilities for Risk Assessment
Chance that actual volume will exceed forecast

Lower Colorado Mainstem	Forecast Period	90% (KAF)	70% (KAF)	50% (KAF)	% Median	30% (KAF)	10% (KAF)	30yr Median (KAF)
Virgin R at Virgin								
Virgin R at Littlefield								
Virgin R nr Hurricane								
Lake Powell Inflow ²								
APR-JUL		2490	3990	5200	85%	6580	8890	6130
Santa Clara R nr Pine Valley								

1) 90% and 10% exceedance probabilities are actually 95% and 5%

2) Forecasts are for unimpaired flows. Actual flow will be dependent on management of upstream reservoirs and diversions

Forecast Exceedance Probabilities for Risk Assessment
Chance that actual volume will exceed forecast

Upper Colorado	Forecast Period	90% (KAF)	70% (KAF)	50% (KAF)	% Median	30% (KAF)	10% (KAF)	30yr Median (KAF)
Colorado R nr Cameo ²								
Wheatfields Ck nr Wheatfields								
Lake Fk R bl Moon Lk nr Mountain Home ²								
White R bl Tabbyune Creek								
Little Snake R nr Slater ²								

Yampa R ab Stagecoach Reservoir²

Viva Naughton Reservoir Inflow²

East R at Almont

Colorado R nr Kremmling²

Fontenelle Reservoir Inflow²

San Miguel R nr Placerville

Lake Fk at Gateview

New Fork R nr Big Piney

Seven Mile Ck nr Fish Lake

Joes Valley Reservoir Inflow²

Little Snake R nr Lily²

Big Brush Ck ab Red Fleet Reservoir

Little Snake R nr Dixon²

Green Mountain Reservoir Inflow²

Tomichi Ck at Sargents

Roaring Fk at Glenwood Springs²

Whiterocks R nr Whiterocks

Ridgway Reservoir Inflow²

Colorado R nr Cisco²

Price R nr Scofield Reservoir²

Willow Ck Reservoir Inflow²

Pine Ck ab Fremont Lake

Elk R nr Milner

Tomichi Ck at Gunnison

Taylor Park Reservoir Inflow²

Paonia Reservoir Inflow²

Fish Ck ab Reservoir nr Scofield

Ferron Ck (Upper Station) nr Ferron

Green R at Warren Bridge

Lake Granby Inflow²

White R nr Meeker

San Juan R nr Carracas²

Ruedi Reservoir Inflow²

Mill Ck at Sheley Tunnel nr Moab

Green R at Green River, UT²

Electric Lake Inflow²

Hams Fk bl Pole Ck nr Frontier

Duchesne R nr Tabiona²

Lake Powell Inflow²

APR-JUL

2490

3990

5200

85%

6580

8890

6130

Animas R at Durango

Wolford Mtn Reservoir Inflow²

Slate R nr Crested Butte

Green R nr Green River, WY²

Dolores R at Dolores

Ashley Ck nr Vernal

Uncompahgre R at Colona²

Currant Ck Reservoir Inflow²

Dillon Reservoir Inflow²

Flaming Gorge Reservoir Inflow²

WF Duchesne R at VAT Diversion²

NF Gunnison R nr Somerset²

Pine Ck nr Escalante

Colorado R nr Dotsero²

Uinta R bl Powerplant Diversion nr Neola

Big Sandy R nr Farson

Blacks Fk nr Robertson

Upper Stillwater Reservoir Inflow²

Gunnison R near Gunnison²

Duchesne R nr Randlett²

Strawberry R nr Duchesne²

Surface Ck at Cedaredge

Cochetopa Ck bl Rock Ck nr Parlin

Rock Ck nr Mountain Home²

Yellowstone R nr Altonah

Vallecito Reservoir Inflow²

Rio Blanco at Blanco Diversion²

Flaming Gorge Resvr Local Bl Fontenelle²

Mancos R nr Mancos²

San Juan R near Bluff²

McPhee Reservoir Inflow²

Williams Fk bl Williams Fk Reservoir²

Elkhead Ck ab Long Gulch

Eagle R bl Gypsum²

Yampa R nr Maybell²

Duchesne R at Myton²

Muddy Ck nr Emery

Navajo R bl Oso Diversion²

South Ck ab Resv nr Monticello

Lemon Reservoir Inflow²

Gunnison R nr Grand Junction²

Navajo Reservoir Inflow ²

Piedra R nr Arboles

La Plata R at Hesperus

Duchesne R ab Knight Diversion ²

Strawberry R nr Soldier Springs ²

Huntington Ck nr Huntington ²

Yampa R at Steamboat Springs²

Blue Mesa Reservoir Inflow ²

Stateline Reservoir Inflow²

Captain Tom Wash nr Two Gray Hills

1) 90% and 10% exceedance probabilities are actually 95% and 5%

2) Forecasts are for unimpaired flows. Actual flow will be dependent on management of upstream reservoirs and diversions